

TOPFLYtech TSR1-B

Wireless relay

User Manual

Revision 1.1



Thanks for your purchasing of the high-quality IOT sensor from TOPFLYtech. Please read this user manual carefully before installation and operation. Information in this manual is the property of TOPFLYtech. Changes to the specifications and features in this manual may be made by TOPFLYtech without prior notice. No part of this manual could be reproduced, copied, translated, transmitted, or published in any form or by any means without TOPFLYtech's prior written permission.



TSR1-B

The relay is using Bluetooth 5.0 technology for communication. You can use our Bluetooth APP to control it via your phone directly or command it via GPS tracker. It has a heavy load-carrying ability with low current consumption. It provides the customer with cost-effective, efficient and safe environment remotely control method.

Contents

1.	QUI	CK REFERENCE	4
2.	PRC	DUCT SPECIFICATIONS	4
3.	WO	RKING PRINCIPLES OF TSR1-B	4
4.	INIT	IATE UNIT GUIDE	5
	4.1	How to install it	5
	4.2	HOW TO CONNECT IT WITH YOUR PHONE	5
	4.3	HOW TO UPDATE THE FIRMWARE OF THE SENSOR	5
	4.4	HOW TO CONFIGURE IT WITH YOUR PHONE	6
	4.5	HOW TO CONNECT IT WITH TOPFLYTECH TRACKER	7
	4.6	HOW TO TURN THE RELAY ON BY THE COMMAND	7
	4.7	How to connect it with the third-party Bluetooth device	7
5.	QUI	CK TROUBLE SHOOTING	7
	5.1	The APP shows "Loading" all the time	7
6.	WAI	RRANTY AND STOCK	7
7.	BAS	IC	7



1. Quick Reference



2. Product Specifications

General Specifications		
Model Name	TSR1-B	
Dimensions	21*51*10mm	
Waterproof Class	IP 65	
Weight	20g±1g	
Operating Voltage	DC 7V~32V	
Standby Current	< 1 mA @ 12V&24V	
Trigger Current	17 mA@12V / 10 mA@24V	
Maximum Load Current	6A @ 250V AC / 6A @ 30V DC	
Operating Temperature	-40°C ~ +85°C (-40°F ~ 185°F)	
Power Output	+4 dBm	
Transmission Range	Up to 300m (Open Field)	
Interfaces		
Red	Power	
Black	GND	
Orange	Normally Closed (NC)	
Blue	Common (COM)	
Grey	Normally Open (NO)	

3. Working principles of TSR1-B

In default, The TSR1-B close the circuit between NC and COM. Once it gets the command to work, it will open the circuit between NC and COM and close the circuit between NO and COM.

After power-up, the device reads the settings from the non-volatile memory and stays



the same status as the last time. To ensure safety, it won't take any action unless it gets the encrypted correct command.

4. Initiate Unit Guide

- 4.1 How to install it
 - 4.1.1 Please refer to below diagram to connect device.



4.2 How to connect it with your phone

- 4.2.1 Download the application called "TFTBle" from Play Store.
- 4.2.2 Turn your phone the feature Bluetooth on.
- 4.2.3 Run the "TFTBle" and allow all the permissions it needs.
- 4.2.4 Find the device named "TSR1-B".
- 4.3 How to update the firmware of the sensor
 - 4.3.1 Click "Config" button.
 - 4.3.2 If there is available latest version, it will show you a pop notice.
 - 4.3.3 "Confirm" it to update the firmware.
 - 4.3.4 Waiting for some minutes. In the process of updating, please don't leave your phone far away from the sensor.





0:56 AM		
	TSDTT-B(D48CA41EF0	9
Name:	TSDT1-B	Edit
Device mod	iel:	
Hardware:	v	
Software:	V8	
Password:	*****	Edit
Broadcast cycle:	O	Edit
Temperatur high alarm:	e	Edit
Temperatur low alarm:	e	Edit
Humidity high alarm:		Edit
Humidity low alarm:		Edit
Led:		

- 4.4 How to configure it with your phone
 - 4.4.1 Run the APP and click the "Config" button
 - 4.4.2 Input the edit password. The password is "654321" in default.
 - 4.4.3 You will find configure box. We support Name/Password/Broadcast cycle/Temperature alarm/Relay/Led/Reset setting by APP.

2:25 PM		::: \$ 6
<	CB1F7B7F9810	C
Name:	TSR1-B	Edit
Device model:	TSR1-B	
Hardware:	V1.2	
Software:	V9	
Password:	*****	Edit
Broadcast cycle:	10	Edit
Temperature high alarm:		Edit
Temperature low alarm:		Edit
Relay:		
Led:		
Reset factory:	Reset factory	



- 4.5 How to connect it with TOPFLYtech tracker
 - 4.5.1 Please make sure the device you want to connect has Bluetooth feature.
 - 4.5.2 Please refer to the accordingly latest command list. Hardwired series please refer to <0x25> command list. OBD II series please refer to <0x26>.
 - 4.5.3 Add the sensor ID into the ID list of the tracker. You can get the ID by scanning QR code and APP.

BTIDA,0000,A,B#	Add BLE sensor A=sensor ID B=sensor type (1=temperature and humidity sensor, 2=door sensor, 3=wireless relay) One tracker supports up to 40 BLE sensors (temperature & humidity sensor+door sensor+wireless relay)

- 4.5.4 Please view the sensor data from your platform.
- 4.6 How to turn the relay on by the command
 - 4.6.1 Please refer to below command list.

BTRELAY,0000,A,B,C#	A=Relay ID B=Relay Password C=0(disable)/1(enable)
---------------------	--

- 4.7 How to connect it with the third-party Bluetooth device
 - 4.7.1 If you want to forward the sensor data to the third-party Bluetooth device, you need to contact TOPFLYtech about the compatibility issue.

5. Quick Trouble Shooting

- 5.1 The APP shows "Loading" all the time
 - 5.1.1 End the program first.
 - 5.1.2 Check the Bluetooth status and make sure the BLE is on.
 - 5.1.3 Make sure all the permissions of the APP are allowed. You can enter <Settings>-<Permissions> to manage it.
 - 5.1.4 Close to the sensor and run APP again.

6. Warranty and Stock

The device standard warranty period is 12 months starting from the date of purchasing.

7. Basic

Below are parameter setting of the sensor by the APP.

Parameter	Description
Desquard	Default Password Is "654321". You Can Protect Your Sensor Setting
Passworu	by Changing Password.



Broadcast Cycle	The Uploading Period Setting of Sensor.
Temperature High Alarm	Once meets this condition, it will trigger alarm.
Temperature Low Alarm	Once meets this condition, it will trigger alarm.
LED	LED Controller Switch.
Reset Factory	It will clean All setting.